

Safety Data Sheet: 9312 Simple Green® All-Purpose Cleaner (Ready-To-Use)

Version No. 2504025-17A Date of Preparation: 03-October-2017

Supersedes: 01-August-2014 Meets requirements of HSNO CoP 8-1 09-06

 \star

Section 1: PRODUCT & COMPANY IDENTIFICATION

Manufacturer's Part Number: Please refer to section 16 Supplier: Primepac Industrial Limited Telephone: 0800 277 772 15 Orbit Drive, Mairangi Bay Email: sales@primepac.co.nz Auckland New Zealand 0623 Website: www.primepac.co.nz	Product Name: Additional Names:	9312 Simple Green [®] All-Purpose Cleaner (Ready-to-Use)		
15 Orbit Drive, Mairangi Bay Email: sales@primepac.co.nz	Manufacturer's Part	Number: Please refer to section 16		
	Supplier:	•		
Emergency Phone: 0800 734 607	Emergency Phone:	0800 734 607		

Recommended Uses: Concentrated cleaner and degreaser for water safe rinsable surfaces.

Section 2: HAZARDS IDENTIFICATION

This product is not classified as Hazardous according to the criteria of Hazardous Substance (Minimum Degrees of Hazard / Classification/Identification) Regulations 2001 and the Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

Signal Word:Does not classify as hazardous, no signal word requiredPictogram:Does not classify as hazardous, no pictograms required.Hazard Statement :Does not classify as hazardous, no hazard statements requiredPrecautionary Statements:Does not classify as hazardous, no precautionary statements required.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS Number	Percent Range
Water	7732-18-5	≥ 92.9%
Ethoxylated Alcohol	68439-46-3	≤ 1%
Sodium Citrate	68-04-2	≤ 1%
Tetrasodium N, N-bis(carboxymethyl)-L-glutamate	51981-21-6	≤ 1%
Sodium Carbonate	497-19-8	≤ 1%
Citric Acid	77-92-9	≤ 1%
Fragrance	Proprietary Mixture	≤ 1%
Colourant	Proprietary Mixture	≤ 1%
Isothiazolinone Preservative	55965-84-9	< 0.1%

Section 4: FIRST AID MEASURES

If Inhaled: If adverse effect occurs, move to fresh air.

If on skin: If adverse effect occurs, rinse skin with water.

- If in eyes: If adverse effect occurs, rinse the eye with large quantities of cool water; continue 10-15 minutes or until the material has been removed; be sure to remove contact lenses, if present, and to lift upper and lower lids during rinsing. Get medical attention if irritation persists.
- If ingested: Drink plenty of water to dilute. Mild stomach or intestinal upset may occur due to detersive properties. For advice, contact a Poisons Information Centre on 0800 734 607 or a doctor.

Workplace First Aid Facilities: Eye Wash Station or treatment recommended.

Advice to Doctor: Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Use dry chemical, CO2, water spray or "alcohol" foam. Avoid high volume jet water.

Hazards from combustion products: None known. Specific hazards arising from chemical: In event of fir

In event of fire created carbon oxides may be formed.

Precautions for fire-fighters and special protective clothing: Firefighters should wear self-contained breathing apparatus and full fire-fighting turn-out gear.

Version No. 2504025-17A Date of Preparation: 03-October-2017

Section 6: **ACCIDENTAL RELEASE MEASURES**

Personal Precautions: Use Personal Protection Recommended in Section 8

Environmental Precautions: Prevent runoff from entering drains, sewers or waterways.

Method for Containment of large and small releases: Dike or soak up with inert absorbent material.

Method for Clean Up of large and small releases: Dilute with water and rinse into sanitary sewer system or dispose into suitable container.

Hazardous Substance (Emergency Management) Regulations 2001 requirements: none.

Section 7: HANDLING AND STORAGE

Precautions for safe handling: Before use carefully read the product label. Use of safe work practices are recommended to avoid eyes or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated area (eg. If container is damaged). Ensure adequate ventilation. Keep out of reach of children. Keep away from heat, sparks, open flame and direct sunlight. Do not pierce any part of the container.

Conditions for safe storage: Store in cool, dry, well-ventilated area, removed from oxidizing agents, acids and foodstuffs. Ensure containers are adequately labeled and protected from physical damage when not in use. Do not store at temperatures above 109°F (42.7°C). If separation occurs, mix the product for reconstitution.

Section 8: **EXPOSURE CONTROLS / PERSONAL PROTECTION**

Workplace Exposure Standards: No components listed with Work Safe New Zealand WES / TWA / STEL. **Engineering Controls:** Not applicable

Individual Protection Measures / Personal Protective Equipment (PPE)

Use any type of protective glasses or eyewear if splashing or spray-back is likely. Eye Contact:

Respiratory: Use in well ventilated areas with adequate airflow.

Prolonged exposure or dermal sensitive individuals should use any type of protective gloves such as nitrile. Skin Contact: General Hygiene Considerations: Wash thoroughly after handling and before eating or drinking.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appeara	ance:	Green liquid		Odour:		Added sassafras odour
Physical State:		Liquid		Odour Threshold:		Not determined
Boiling Point ASTM D-1120:		101°C (213.8°F)		Flash Point A	STM D-93:	non-flammable
Freezing	Point ASTM D-1177:	0 - 3.33°C (32 - 38°F)		Flammability:		Non flammable
Specific Gravity ASTM D-891:		1.01 - 1.03		Autoignition Temperature:		Non flammable
Evaporation Rate ASTM D-1901:		1/2 Butyl Acetate @ 2	25°C	Decompositio	on Temperature:	105oF
Vapor Pressure ASTM D-323:		0.60 PSI @77°F, 2.05 PSI @100°F		Density ASTM D-4017:		8.34 – 8.42 lb/gal
Vapor Density:		Not determined		Water Solubi	lity:	100%
pH ASTM D-1293:		8.2 - 10.0		Partial Coeffi	cient:	not determined
VOCs:	SCAQMD 304-91 / EPA 2	24: 0 g/L	0 lb/gal	0 %		
	CARB Method 310**:	0.3 g/L	0.002 lb/gal	0.03%	**Water & frag	rance exemption in calculation
	SCAQMD Method 313:	Not tested				
Nutrient Content: Pho		Phosphorous 0.00%	0			
Information on flammable materials:		ials: Volume of ing	Volume of ingredients in product prevent it from becoming flammable			

Section 10: STABILITY AND REACTIVITY

Chemical Stability:	Stable under normal conditions 21°C (70°F) and 14.7 psig (760 mmHg)
Reactivity:	Non-reactive
Conditions to avoid:	Excessive heat or cold.
Incompatible materials:	Do not mix with oxidizers, acids, bathroom cleaners or disinfecting agents.

Version No. 2504025-17A

Date of Preparation: 03-October-2017

Section 10: STABILITY AND REACTIVITY - continued

Hazardous decomposition products: Possibility of hazardous reactions: Normal products of combustion – CO, CO2. None known

Section 11: TOXICOLOGICAL INFORMATION

Acute Acute Toxicity: Oral LD₅₀ (rat) > Dermal LD₅₀ (rabbit) >

> 5 g/kg body weight
it) > 5 g/kg body weight

Calculated via OECD Harmonized Integrated Classification System for Human Health & Environmental Hazards of Chemical Substances and Mixtures

Chronic There have been no reports of health effects arising from long term exposure to the ingredients found within this product.

Possible Routes of exposure –

Skin corrosion/irritation:	Non-irritant per Dermal Irritection [®] assay modeling. <i>No animal testing performed.</i>
Eye damage/irritation:	Minimal irritant per Ocular Irritection [®] assay modeling. No animal testing performed
Germ Cell Mutagenicity:	No ingredients trigger or classify under this category.
Carcinogenicity:	No ingredients trigger or classify under this category.
Reproductive toxicity:	No ingredients trigger or classify under this category.
STOT-Single Exposure:	No ingredients trigger or classify under this category.
STOT-repeated exposure:	No ingredients trigger or classify under this category.
Aspiration hazard:	No ingredients trigger or classify under this category.
Likely routes of exposure:	Inhalation – Overexposure may cause headache.
	Skin contact – not expected to cause irritation.
	Eye contact – may cause minimal eye irritation.
	Ingestion – May cause upset stomach.

Symptoms related to the physical, chemical and toxicological characteristics: no symptoms expected under typical use conditions. Delayed and immediate effects and or chronic effects from short term exposure: no symptoms expected under typical use conditions. Delayed and immediate effects and or chronic effects from long term exposure: headache, dry skin, or skin irritation may occur. Interactive effects: Not known.

Section 12: ECOLOGICAL INFORMATION

Acute Ecotoxicity:Does not classify under the criteria of HSNO or GHSChronic Ecotoxicty:Does not classify under the criteria of HSNO or GHS			
Environmental Effect Levels: None			
Aquatic Toxicity: Low, based on OECD 201, 202, 203 + Microtox: $EC_{50} \& IC_{50} \ge 100 mg/L$			
Terrestrial Toxicity: Low, based on toxicology profile			
Persistence and degradability:Readily Biodegradable per OECD 301D, Closed Bottle TestMobility:No dataBioaccumulation:No data			

Section 13: DISPOSAL CONSIDERATIONS

Unused Product: Deposit product in a landfill (if solidified), incinerator, or a sewage facility for treatment and disposal; or, discharge product into the environment so that, after reasonable mixing, the concentration of the substance in an environmental medium does not exceed any tolerable exposure limits.

Used Product: Used product may contain chemicals that will classify this waste as hazardous. Be sure to assess used product contaminants. Deposit used product in a landfill (if solidified), incinerator, or a sewage facility for treatment and disposal; or, discharge product into the environment so that, after reasonable mixing, the concentration of the substance in an environmental medium does not exceed any tolerable exposure limits.

Version No. 2504025-17A Date of Preparation: 03-October-2017

Section 13: DISPOSAL CONSIDERATIONS - continued

Contaminated objects : Rinseable-recyclable objects can be rinsed and offered for recycling or disposed of in landfills. Non-rinseable objects should be disposed of to landfills.

Empty Containers: Triple-rinse with water and offer for recycling if available in your area.

Never dispose of used degreasing rinsates into lakes, streams, and open bodies of water or storm drains.

Section 14: TRANSPORT INFORMATION

NZTA:	Not classified as dangerous good according to the Transport of Dangerous Goods on Land (NZS5433).			
IMO / IDMG:	Not classified as Dangerous			
ICAO/ IATA:	Not classified as Dangerous			
ADR/RID:	Not classified as Dangerous			
U.N. Number	None Allocated	Proper Shipping Name:	Cleaning Compound, Liquid NOI	
DG Class	None Allocated	Marine Pollutant:	No	
Subsidiary Risks	None Allocated	HAZCHEM Code:	None	
Packing Group	None Allocated	Special Precautions for Users:	None.	

Section 15: REGULATORY INFORMATION

Group Standard Classification Product r	not classifiable as any hazard under HSNO standards	
Ingredient	HSNO Approval Number	
Water		
Ethoxylated Alcohol	HSNO approval HSR003338	
Sodium Citrate	May be used as a single component chemical under an appropriate group standard	
Tetrasodium N, N-bis(carboxymethyl)-L-glutamate	May be used as a single component chemical under an appropriate group standard	
Sodium Carbonate	HSNO Approval: HSR003265	
Citric Acid	HSNO Approval: HSR003138	
Fragrance		
Colourant		
Isothiazolinone Preservative	May be used as a single component chemical under an appropriate group standard	

In accordance with all Group Standards as amended 2010, the product label need not meet the labeling requirements of this group standard if it complies with the relevant current labeling requirements of Australia, USA or EU.

NZIoC:

All chemicals registered on New Zealand Inventory of Chemicals

Section 16: OTHER INFORMATION

Manufacturer's Part Numbers

2510401204025 -	750 mL
2510401203022 -	650 mL

Prepared / Revised By: Simple Green Australia **Reason for Revision:** Date update, pH slightly widened.

DISCLAIMER: The information provided with this SDS is furnished in good faith and without warranty of any kind. Personnel handling this material must make independent determinations of the suitability and completeness of information from all sources to assure proper use and disposal of this material and the safety and health of employees and customers. Sunshine Makers, Inc. assumes no additional liability or responsibility resulting from the use of, or reliance on this information.

15 ORBIT DRIVE, MAIRANGI BAY, AUCKLAND 0632 | 0800 277 772 | WWW.PRIMEPAC.CO.NZ

★