

PRODUCT DATA SHEET

MaxiDry® 56-426

Colour – Coating	Purple, Black
Colour – Liner	Neutral
Design	Gauntlet - 26 cm
Coating	NBR (Nitrile Butadiene Rubber)
Coating texture	Micro-Foam with Non-Slip Grip
Liner	Nylon, Spandex
Patent number	EP 1 608 808
Palm thickness (mm)	1.00



Dimensions

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)
Total glove length (+/- 10 mm)	260	260	260	260	260	260
Palm width (mm)	101	107	110	112	115	118
Over lock colour	Blue	Red	Orange	White	Yellow	Black

EN Test Results

Test	Notified body	Result/Pass
EN ISO 21420: 2020	TÜV Rheinland	Yes
EN 388:2016 + A1:2018	TÜV Rheinland	4111A
EN ISO 374-1:2016 + A1:2018/Type C	TÜV Rheinland	
EN ISO 374-5:2016	TÜV Rheinland	Yes



PRODUCT DATA SHEET

MaxiDry® 56-426

Typical Performance Values

EN ISO 21420: General requirements Dexterity	Level 5
EN 388:2016 + A1:2018 A. Abrasion Resistance	> 8000 Cycles
EN 388:2016 + A1:2018 B. Cut Resistance	> 1.2 index
EN 388:2016 + A1:2018 C. Tear Resistance	> 10 newtons
EN 388:2016 + A1:2018 D. Puncture Resistance	> 20 newtons
EN 388:2016 + A1:2018 E. Cut Resistance ISO	≥ 2 Newton
EN ISO 374-5:2016 Protective gloves against microorganisms	Protective gloves which form a protective barrier to microbiological agents.

Permeation Break Trough Times (BTT)

Ethanol (64-17-5)	3 (115)	Kroschke
Isopropanol (67-63-0)	4 (163)	Kroschke

HandCare®

Skin Health Alliance Dermatologically Accredited	Yes
REACH compliant	Yes
Standard 100 by OEKO-TEX® (08.BH.57867 Hohenstein HTTI)	Certified
Sanitized®	Yes



Special features

Silicone free	Yes
---------------	-----



PRODUCT DATA SHEET

MaxiDry® 56-426

Packaging

Pairs per poly bag	12
Poly bags per carton	6
Carton count	72
Carton dimensions (mm)	500 x 295 x 200

Weight

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)
Glove weight / pair (+/- 6 gram)	56	58	62	64	68	72
Gross weight (kg)	5.2	5.4	5.6	5.8	6.1	6.4
Carton weight (kg)	1	1	1	1	1	1
Net weight (kg)	4.2	4.4	4.6	4.8	5.1	5.4

Issue date: 24/03/2023

